

Faculty Name: Dr. Saroj K. Ghosh

Title of Paper: Comparative histological study of endocrine pancreas in Labeo rohita (Hamilton, 1822), Mystus cavasius (Hamilton, 1822) and Notopterus notopterus (Pallas, 1769)

SUSTAINABLE MANAGEMENT OF AQUATIC RESOURCES

PART-I

Editors

Dr. B.K. Mahapatra

FZS (Cal), FIFSI, FZS, FAEB
Principal Scientist
ICAR-Central Institute of Fisheries Education,
Kolkata Centre, 32-GN Block, Sector V,
Salt Lake City, Kolkata-700091, India

Dr. A.K. Roy

Ex. National Consultant (Impact Assessment), NAIP
(World Bank Funded), ICAR, New Delhi
Former Principal Scientist & Head
ICAR-Central Institute of Freshwater Aquaculture,
Bhubneswar-751002
Ex-Consultant, College of Fisheries, CAU, Agartala, India

and

Mr. Nemaï Chandra Pramanik

Chief General Secretary
C. C. S. C. O. Y., Kolkata 700014,
West Bengal, India



NARENDRA PUBLISHING HOUSE
DELHI-110006 (INDIA)

Copyright © 2018, Narendra Publishing House, Delhi (India)

All rights reserved. Neither this book nor any part may be reproduced or used in any form or by any means, electronic or mechanical, including photocopying, microfilming, recording, or information storage and retrieval system, without the written permission of the publisher and author.

The information contained in this book has been obtained from authentic and reliable resources, but the authors/publisher cannot assume responsibility for the validity of all materials or the consequences of their use. The authors/publisher have attempted to trace and acknowledge the materials reproduced in this publication and apologize if permission and acknowledgements to publish in this form have not been given. If any material has not been acknowledged please write and let us know so that we may rectify it.

First Published in 2018

ISBN: 978-93-87590-11-3

Published by :

NARENDRA PUBLISHING HOUSE

Publisher and Distributor

1417, Kishan Dutt Street, Maliwara,

DELHI-110006 (India)

Phones: 91-011-43501867, 91-011-45025794

E-mail: info@nphindia.com

Website: www.nphindia.com

Printed in India

Laser Typeset by Amrit Graphics, Shahdara, Delhi-110032

COMPARATIVE HISTOLOGICAL STUDY OF ENDOCRINE PANCREAS IN *LABEO ROHITA* (HAMILTON, 1822), *MYSTUS CAVASIUS* (HAMILTON, 1822) AND *NOTOPTERUS* *NOTOPTERUS* (PALLAS, 1769)

Saroj Kumar Ghosh and Padmanabha Chakrabarti

ABSTRACT

Pancreas, a key organ of teleosts which controls many life functions and plays a momentous role in physiology. The cellular characteristics and disposition of endocrine pancreas were investigated in *Labeo rohita* (Hamilton, 1822), *Mystus cavasius* (Hamilton, 1822) and *Notopterus notopterus* (Pallas, 1769) using histological techniques. The structural analysis showed that in *L. rohita*, endocrine pancreatic tissues were diffused within the adipose tissues in between the intestinal coiling while in *M. cavasius* the discrete pancreatic tissue attached with stomach wall along with exocrine part. However, in *N. notopterus*, the pancreatic tissues were sandwiched in between the pyloric caeca and also adhered to the wall of stomach in distal region. Cytoarchitectural analysis demonstrated that the endocrine components of all the three species were enclosed in a thin capsule provided with α , β and δ cells, interspersed with blood sinuses. Various cell types in the islet of Langerhans were differentiated based mainly upon their shape, position, staining intensity and density of the cytoplasmic secretory granules. Histological analysis showed that β cells were usually grouped in clusters, typically stained with Aldehyde fuchsin (AF), Heidenhain's azan (HA) and Mallory's triple (MT); observed in the central areas of the islets. α cells were usually arranged either in groups or scattered to the islets periphery, ovoid in shape. Lightly staining δ cells were founded at a low frequency, scattered anywhere in the pancreatic islet and exhibited moderate cytoplasmic granules in *L. rohita*, *M. cavasius* and *N. notopterus*. Despite being the subject of extreme controversy, the nature and function of different endocrine cells were discussed.

Key words: Cellular architecture, Endocrine pancreas, *Labeo rohita*, *Mystus cavasius*, *Notopterus notopterus*

INTRODUCTION

In lower vertebrates particularly in fishes, the pancreas exhibits a great diversity in structural modification and also in distributional pattern. As in other vertebrates, the